

# MAJOR PRODUCT CHANGES

## OVERVIEW

The 2019 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users.

To learn more about the features on this vehicle, go to [www.fordsourcebook.com](http://www.fordsourcebook.com)

## MODEL/SERIES/AVAILABILITY

### MECHANICAL

- ★ **New/Changed**
  - N/A
- **Deleted**
  - None

### EXTERIOR

- ★ **New/Changed**
  - None
- **Deleted**
  - None
- ★ **New Colors**
  - Agate Black (UM)
  - Silver Spruce (BN)
- **FLEET ONLY EXTERIOR COLORS**
  - Green (W7514G is replaced with GR)
  - Green Gem (W7515G is replaced with W6)
  - Orange (W5684E is replaced with MB)
  - School Bus Yellow (M6284F is replaced with BY)
  - Vermillion Red (W4665D is replaced with E4)
  - Yellow (W6695F is replaced with AT)
- **Deleted Colors**
  - Magma Red (early balance out)
  - Shadow Black
  - White Gold

### INTERIOR/COMFORT

- ★ **New/Changed**
  - None
- **Deleted**
  - None

### SAFETY/SECURITY

- ★ **New/Changed**
  - Advanced Security Pack now standard on XLT; included in the Power Equipment Group (90L)

## ★ DRIVER ASSIST

- ★ **New/Changed**
  - FordPass™ Connect 4G Wi-Fi Modem replaces the feature description of SYNC® Connect

## FUNCTIONAL

- ★ **New/Changed**
  - B&O Sound System by Bang & Olufsen has replaced the Sony® Premium Audio offering
  - Engine Block Heater (41H) is available in all states as a standalone option
- **Deleted**
  - CD Player for all Series

## PACKAGES

- ★ **New/Changed**
  - Wrecker Package (474) – opt. on XL and XLT Regular Cab F-450 145" WB only
  - Ford Telematics™ Powered by Telogis® (87T) changed to Fleet Telematics Modem (87T) – optional on XL and XLT – Fleet Only
- **Deleted**
  - None

## LATEST ORDER GUIDE UPDATES:

- **Deleted:** 225/70Rx19.5G BSW A/S (TFB)
- **Deleted:** 225/70Rx19.5G BSW Traction (THB)
- **Deleted:** 225/70Rx19.5G BSW Traction, 4X4 (TGB)
- **Revised:** 225/70Rx19.5G BSW A/P Tire (TGJ) now available
- **Revised:** 225/70Rx19.5G BSW Traction Tire (TGM) now available
- **Revised:** 225/70Rx19.5G BSW Traction, 4X4 (TGK) now available
- **Deleted:** Magma Red (E2) exterior color – early balance out
- **Revised:** Ambulance Prep Package (47A) engine availability

## Product Changes and Features Availability

Features, options and package content subject to change. Please check [www.fmcdealer.com](http://www.fmcdealer.com) for the most current information.

## MAJOR PRODUCT SUMMARY

The all-new 2019 F-SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers.

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where otherwise noted:

XL	XLT	LARIAT
<p><b>MECHANICAL</b></p> <ul style="list-style-type: none"> <li>Brakes – Four-wheel Disc Brakes; Anti-lock Brake System (ABS)</li> <li>Engine           <ul style="list-style-type: none"> <li>6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350)</li> <li>6.8L 3 Valve Gas SOHC EFI NA V10 (F-450/F-550)</li> </ul> </li> <li>Transmission – TorqShift® Six-Speed automatic w/SelectShift® automatic (6R140)</li> </ul> <p><b>EXTERIOR</b></p> <ul style="list-style-type: none"> <li>Bumper – front, black painted</li> <li>Fender vents – front</li> <li>Front License Plate Bracket</li> <li>Fuel Tank           <ul style="list-style-type: none"> <li>26.5 gallon mid ship (F-350 SRW)</li> <li>40 gallon aft axle (F-350 DRW/F-450/F-550)</li> </ul> </li> <li>Glass – solar-tinted</li> <li>Grille – black painted</li> <li>Scuff plates – front, color-coordinated</li> <li>Splash Guards/Mud Flaps – Front (F-450/550 only)</li> <li>"Three Blink" Lane change signal</li> <li>Tow hooks – front (2)</li> <li>Trailer wiring – 7 wire harness w/relays, blunt cut &amp; labeled</li> <li>Wheels           <ul style="list-style-type: none"> <li>F-350 SRW – 18" Argent Painted Steel wheel w/Painted Hub Cover/Center Ornaments</li> <li>F-350 DRW – 17" Argent Painted Steel (hub covers/center ornaments not included)</li> <li>F-450 &amp; F-550 – 19.5" Argent Painted Steel</li> <li>Manual Locking Hubs (4x4)</li> </ul> </li> <li>Windshield Wipers – intermittent</li> </ul> <p><b>INTERIOR/COMFORT</b></p> <ul style="list-style-type: none"> <li>2.3" Productivity Screen in IP Cluster Instrumentation Center           <ul style="list-style-type: none"> <li>Multi-function switch message center display with Ice Blue® Lighting</li> </ul> </li> <li>12V Powerpoint, auxiliary</li> <li>Air conditioning – single-zone, manual</li> <li>Air conditioning vents – black w/chrome ring and knob</li> <li>Cabin Air Particulate Filter</li> <li>Door-trim – armrest/grab handle and reflector</li> <li>Floor covering – black, full length vinyl</li> <li>Mirror – rearview 11.5" day/night</li> <li>Outside Temperature Display</li> <li>Seat – Front, HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage (manual lumbar – driver's side)</li> <li>Steering – power</li> <li>Steering wheel – black vinyl with tilt and telescoping steering wheel/column; includes three (3) button message control</li> <li>Sun visors – color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror insert with 6 inch overhead</li> <li>Upfitter switches – 6 located in Overhead Console</li> <li>Window – Rear, fixed</li> </ul> <p><b>SAFETY/SECURITY</b></p> <ul style="list-style-type: none"> <li>AdvanceTrac® with RSC® (Roll Stability Control™)</li> <li>AutoLamp – Auto On/Off Headlamps</li> <li>Belt-Minder® (front safety belt reminder)</li> <li>Driver and passenger frontal and side airbag/curtain; passenger side deactivation switch</li> <li>Headlamps – Quad beam jewel effect halogen</li> <li>Lamps – Roof marker/clearance – LED</li> <li>Mirrors – manually telescoping two-way fold trailer tow with manual glass</li> <li>Safety Belts – color-coordinated w/height adjustment (front-outboard seating positions only)</li> <li>Safety Canopy® System</li> <li>Stationary Elevated Idle Control (SEIC)</li> <li>SOS Post-Crash Alert System™</li> <li>Underhood service light</li> </ul> <p><b>DRIVER ASSIST</b></p> <ul style="list-style-type: none"> <li>AutoLamp (Auto On/Off Headlamps) with Rainlamp Wiper Activated Headlamps</li> </ul> <p><b>FUNCTIONAL</b></p> <ul style="list-style-type: none"> <li>Alternators:           <ul style="list-style-type: none"> <li>6.2L 2 Valve Gas – Extra Heavy-Duty 200 AMP</li> <li>6.8L 3 Valve Gas – Heavy-Duty 240 AMP</li> <li>6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel – Extra Heavy-Duty 220 AMP</li> </ul> </li> <li>Audio – AM/FM stereo (four (4) speakers)</li> <li>Stabilizer bars – front &amp; rear</li> </ul>	<p><i>All XL content, plus:</i></p> <p><b>EXTERIOR</b></p> <ul style="list-style-type: none"> <li>Bumper – front, chrome</li> <li>Grille – two (2) bar, bright chrome</li> <li>Wheels – F-350 SRW – 18" Argent Painted Steel Wheel w/Painted Hub Cover/Center Ornaments</li> </ul> <p><b>INTERIOR/COMFORT</b></p> <ul style="list-style-type: none"> <li>4.2" LCD Productivity Screen in IP Cluster w/Compass display</li> <li>Auxiliary audio input jack</li> <li>Door-trim – soft armrest, grab handle, power window/lock switches and reflector; front map pockets on Regular Cab and SuperCab; front and rear map pockets on Crew Cab</li> <li>Floor covering – color-coordinated full carpet</li> <li>Floor mats – color-coordinated carpet</li> <li>Power Equipment Group – 1<sup>st</sup> row (front-seat) windows w/one-touch up/down, power 2<sup>nd</sup> row (rear-seat) windows (Super/Crew Cab); power/door-locks w/backlit switches &amp; accessory delay</li> <li>Seats, Front           <ul style="list-style-type: none"> <li>Front, high-series cloth 40/20/40 split bench – 20% center under-seat storage, w/center armrest, cupholder and storage</li> <li>Four-way adjustable driver/passenger headrests</li> </ul> </li> <li>Steering wheel – Black urethane</li> <li>Sun visors – Color-coordinated cloth, both driver and passenger w/covered mirrors</li> <li>Window – rear, fixed privacy glass</li> </ul> <p><b>SAFETY/SECURITY</b></p> <ul style="list-style-type: none"> <li>Advanced Security Pack</li> <li>Mirrors – manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals</li> <li>MyKey® owner controls feature</li> <li>Remote keyless entry</li> <li>SecuriLock® Passive Anti-Theft System (PATS)</li> </ul> <p><b>DRIVER ASSIST</b></p> <ul style="list-style-type: none"> <li>Cruise control (steering wheel-mounted)</li> <li>SYNC®           <ul style="list-style-type: none"> <li>Enhanced Voice Recognition Communication and Entertainment</li> <li>911 Assist®</li> <li>4.2" LCD Center Stack screen</li> </ul> </li> <li>AppLink®</li> <li>Smart-Charging USB port – one (1)</li> </ul> <p><b>FUNCTIONAL</b></p> <ul style="list-style-type: none"> <li>Audio – AM/FM stereo MP3 player &amp; five (5) speakers w/Reg Cab, seven (7) speakers w/Super/Crew Cabs</li> <li>SiriusXM® Radio<sup>1</sup> <ul style="list-style-type: none"> <li>Note: Includes a 6-month prepaid subscription. Service is not available in Alaska or Hawaii.</li> </ul> </li> <li>Trailer Brake Controller</li> </ul>	<p><i>All XLT content, plus:</i></p> <p><b>MECHANICAL</b></p> <ul style="list-style-type: none"> <li>Electronic-Shift-On-the-Fly (ESOF) (4x4 only)</li> <li>Engine – 6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 (F-450/F-550)</li> </ul> <p><b>EXTERIOR</b></p> <ul style="list-style-type: none"> <li>Fog lamps</li> <li>Grille – two (2) bar, chrome (includes additional chrome inserts)</li> <li>Handles – door, body-color</li> <li>Wheels           <ul style="list-style-type: none"> <li>F-350 SRW – 18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright Hub Covers/Center Ornaments</li> <li>F-350 DRW – 17" Forged Polished Aluminum w/bright hub covers/center ornaments</li> <li>F-450/F-550 – 19.5" Forged Polished Aluminum w/bright hub covers/center ornaments</li> </ul> </li> </ul> <p><b>INTERIOR/COMFORT</b></p> <ul style="list-style-type: none"> <li>110V/400W outlets; one (1) dash mounted and one (1) in rear console</li> <li>Air conditioning – Dual-Zone Electronic Automatic Temperature Control (DEATC)</li> <li>Air conditioning vents – painted obsidian with chrome ring</li> <li>Instrumentation Center – 8" LCD Productivity Screen with steering wheel-mounted five (5) button control: includes compass and menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications</li> <li>Mirror – rearview, electrochromic self-dimming</li> <li>Power-Adjustable Pedals</li> <li>Seats, Front           <ul style="list-style-type: none"> <li>Leather seating surfaces, 40/Console/40</li> <li>10-way power driver &amp; front-passenger seats (six-way power-adjustable track, two-way power recline and two-way power lumbar)</li> </ul> </li> <li>Seats, Rear           <ul style="list-style-type: none"> <li>Armrest with cupholders (Crew Cab)</li> <li>Rear under-seat storage (SuperCab); floor fold-flat and locking (Crew Cab)</li> </ul> </li> <li>Steering wheel – leather-wrapped, color-coordinated</li> <li>Sun visors – color-coordinated cloth; both driver and passenger w/covered illuminated visor vanity mirrors</li> <li>Window – rear, power-sliding with privacy glass and defrost</li> </ul> <p><b>SAFETY/SECURITY</b></p> <ul style="list-style-type: none"> <li>Autolock, Auto unlock</li> <li>Mirrors – Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights, body-color skull caps)</li> <li>SecuriCode™ keyless entry keypad</li> </ul> <p><b>DRIVER ASSIST</b></p> <ul style="list-style-type: none"> <li>SYNC® 3           <ul style="list-style-type: none"> <li>Enhanced Voice Recognition Communications and Entertainment System</li> <li>8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability</li> <li>Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System</li> </ul> </li> <li>AppLink®</li> <li>911 Assist®</li> <li>Apple CarPlay™ and Android Auto™</li> <li>Smart Charging USB Ports – two (2)</li> <li>Note: SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select smartphone platforms. Commands may vary by phone and AppLink® softwares.</li> </ul> <p><b>FUNCTIONAL</b></p> <ul style="list-style-type: none"> <li>Alternators:           <ul style="list-style-type: none"> <li>6.2L 2 Valve Gas – Extra Extra Heavy-Duty 240 AMP</li> <li>6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel – Dual Heavy-Duty 332 AMP</li> </ul> </li> <li>Audio – B&amp;O Sound System by Bang &amp; Olufsen – ten (10) speakers and subwoofer★</li> </ul>

Please see Standard Equipment pages for more details.

<sup>1</sup> Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of SiriusXM Radio Inc

## Product Features Availability

Features, options and package content subject to change.

★ = New for this model year

# STANDARD EQUIPMENT

The following features are standard on every 2019 SUPER DUTY® Chassis Cab vehicle:

## MECHANICAL

- Brakes – Four-wheel Disc Brakes with Anti-Lock Brake System (ABS)

## EXTERIOR

- Doors
  - Two (Regular Cab only)
  - Four (SuperCab/Crew Cab only)
- Front License Plate Bracket
- Fuel Tank
  - 26.5 gallon mid ship (F-350 SRW)
  - 40 gallon aft axle (F-350 DRW/F-450/F-550)
  - Diesel Exhaust Fluid (DEF) Tank Location:
    - Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails.
    - Mid ship fuel tank is paired with the DEF tank located outside of the frame rail
    - Dual tanks are paired with the DEF tank located outside of the frame rail
- Glass
  - Solar-tinted complete (Std. on XL)
  - Privacy (Std. on XLT and Lariat; NA front-seat windows)
- Manual Locking Hubs (4x4)
- Scuff plates – front, color-coordinated
- "Three-Blink" lane change signal
- Tow hooks – front, (two) (2)
- Trailer wiring – 7 wire harness w/relays, blunt cut and labeled
- Windshield wipers – intermittent

## INTERIOR/COMFORT

- Convenience
  - Coat hooks, LH/RH color-coordinated
  - Dash top tray
  - Dome lamp – LH/RH door activated & I/P switch operated w/delay
  - Handles, grab – driver & front-passenger
  - Handles, roof ride – front-passenger (also over rear-doors on Crew Cab)
  - Map lights – dual (front and rear w/Crew Cab)
  - 12V Powerpoint, auxiliary
- Door-trim – color-coordinated molded w/grab handle & reflector
- Gauges and Meters – Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer
- Headliner – color-coordinated cloth

## INTERIOR/COMFORT (continued)

- Instrument panel – color-coordinated w/dual glove boxes, four (4) air registers w/positive shut-off and powerpoint
- Instrumentation Center
  - 2.3" LCD Productivity Screen in IP Cluster (standard on XL)
  - 4.2" LCD Productivity Screen in IP Cluster (standard on XLT)
  - 8.0" LCD Productivity Screen in IP Cluster (Standard on Lariat)
- Overhead Console with 6 Upfitter Switches
- Steering – power
- Steering damper

## SAFETY/SECURITY

- AdvanceTrac® with RSC® (Roll Stability Control™)
- Airbags
  - Driver and Passenger frontal and side airbag/curtain
  - Passenger side airbag deactivation switch
- Child tethers (Regular Cab front-passenger and all rear-seating positions)
- Lamps – LED Roof marker/clearance
- Safety Belts
  - Belt-Minder® (front safety belt reminder) – chime and flashing warning lights on I/P if belts not buckled
  - Color-coordinated safety belts w/height adjustment (front-outboard seating positions only)
- SecuriLock® Passive Anti-Theft System (PATS); includes MyKey® owner controls feature (XLT and Lariat Only)
- SOS Post-Crash Alert System™
- Stationary Elevated Idle Control (SEIC)

## FUNCTIONAL

- Alternator
  - 200 Amp, Extra Heavy-Duty (Std. on 6.2L Gas w/XL/XLT)
  - 240 Amp, Extra Extra Heavy-Duty (Std. on 6.2L Gas w/Lariat)
  - 240 Amp, Heavy-Duty (Std. on 6.8L Gas)
  - 220 Amp, Extra Heavy-Duty (Std. on 6.7L Power Stroke® Diesel)
  - 332 Amp Dual Heavy-Duty (6.7L Power Stroke® Diesel engine w/Lariat)
- Hood release
- Horn – dual electric
- Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine)
- Oil minder system (6.2L Gas and 6.8L Gas engine)
- Shock absorbers – heavy-duty gas
- Springs, rear auxiliary
- Stabilizer bar – front and rear

The following features are standard on selected 2019MY SUPER DUTY® Chassis Cab vehicles:

MECHANICAL	XL	XLT	LARIAT
<b>Engine</b>			
6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350)	•	•	•
6.8L 3 Valve Gas SOHC EFI NA V10 (F-450/F-550)	•	•	
6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 (F-450/F-550) (includes split-shaft calibration compatibility)			•
<b>Transmission</b>			
TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	•	•	•
<b>Alternator</b>			
200 Amp Extra Heavy-Duty (Std. on 6.2L Gas engine w/XL/XLT)	•	•	
240 Amp Heavy-Duty (Std. on 6.8L Gas engine)	•	•	
220 Amp Extra Heavy-Duty (Std. on 6.7L Power Stroke® Diesel engine w/XL/XLT)	•	•	
240 Amp Extra Extra Heavy-Duty (Std. on 6.2L Gas engine w/Lariat)			•
332 Amp Dual Heavy-Duty (6.7L Power Stroke® Diesel engine w/Lariat)			•
<b>Axle</b>			
Monobeam front axle w/coil spring suspension (F-350 4x4, F-450 and F-550)	•	•	•
Independent Twin-I-beam front axle w/coil spring suspension (F-350 4x2)	•	•	•
<b>Battery</b>			
750 CCA, 78 AH, Dual (6.7L Power Stroke® Diesel engine only) (standard Lariat F-450 and F-550; this battery is also applicable when the diesel engine is selected per optional availability)			•
750 CCA, 78 AH Single (6.2L Gas F-350 SRW/DRW XLT & Lariat & 6.8L Gas engine only)	•	•	•
650 CCA, 72 AH (6.2L Gas engine only) (F-350 XL SRW/DRW)	•		

★ = New for this model year

• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

**2019 SUPER DUTY® CHASSIS CAB**  
**(F-350CC / F-450CC / F-550)**  
**STANDARD EQUIPMENT**

<b>MECHANICAL (continued)</b>	<b>XL</b>	<b>XLT</b>	<b>LARIAT</b>
<b>Fuel Tanks</b>			
26.5 gallon mid ship (F-350 SRW w/68D Payload Downgrade Pkg)	•	•	•
40 gallon aft axle (F-350 SRW/F-350 DRW/F-450/F-550; NA with 68D Payload Downgrade Pkg. on F-350 SRW)	•	•	•
<b>KEY EXTERIOR FEATURES</b>			
<b>Bumper – Front</b>			
Black painted steel w/grained MIC top cover and black lower air dam	•		
Chrome w/grained MIC top cover and black lower air dam		•	•
<b>Grille</b>			
Black MIC	•		
Bright Chrome – two (2) bar		•	
Chrome – two (2) bar (includes additional chrome inserts)			•
<b>Handles – Door and Tailgate</b>			
Black	•	•	
Body-color			•
<b>Headlamps/Tailamps/Lamps</b>			
Quad-beam halogen jewel effect	•	•	•
AutoLamp (Auto On/Off Headlamps) with Rainlamp Wiper Activated Headlamps	•	•	•
Center High-Mounted Stop Lamp (CHMSL) (Standard on vehicles 10k GVWR and below)	•	•	•
Fog lamps			•
LED Roof Marker/Clearance Lamps	•	•	•
Utility Lighting System (LED Side-mirror Spotlights) (see mirror descriptions below)			•
<b>Mirrors</b>			
Manually telescoping/folding trailer tow with manual glass	•		
Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals		•	
Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)			•
<b>Wheels (SRW)</b>			
18" Argent Painted Steel w/painted hub covers/center ornaments (F-350)	•		
18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/center ornaments (F-350)		•	
18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and bright hub covers/center ornaments (F-350)			•
<b>Wheels (DRW)</b>			
17" Argent Painted Steel (hub covers/center ornaments not included (F-350)	•	•	
17" Forged Polished Aluminum w/bright hub covers/center ornaments (F-350)			•
19.5" Argent Painted Steel (F-450/F-550)	•	•	
19.5" Forged Polished Aluminum w/bright hub covers/center ornaments (F-450/F-550)			•
<b>Windows and Glass</b>			
1 <sup>st</sup> Row (front-seat) – Manual	•		
1 <sup>st</sup> Row (front-seat) – Power w/one-touch up/down		•	•
2 <sup>nd</sup> Row (rear-seat) – Fixed	•(2)		
2 <sup>nd</sup> Row (rear-seat) – Power		•(2,3)	•(2,3)
Rear (backlight) – Fixed	•	•	
Rear (backlight) – Power-sliding w/defrost			•
Solar-tinted glass (complete)	•		
Privacy glass, (rear backlight on all cabs; 2 <sup>nd</sup> Row (rear-seat) windows on SuperCab and Crew Cab. Other glass is solar-tinted.)		•	•
<b>KEY INTERIOR/COMFORT FEATURES</b>			
<b>Air Conditioning</b>			
Manual, Single Zone	•	•	
Dual-Zone Electronic Automatic Temperature Control (DEATC)			•

**2019 SUPER DUTY® CHASSIS CAB**  
**(F-350CC / F-450CC / F-550)**  
**STANDARD EQUIPMENT**

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
<b>Audio</b>			
AM/FM stereo (four (4) speakers)	•		
AM/FM stereo MP3 player (speakers; five (5) with Regular Cab, seven (7) with SuperCab and Crew Cab)		•	
SiriusXM® Radio <sup>1</sup> (speakers; adds one (1) I/P mounted center speaker on XLT only) <b>Note:</b> Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii.		•	•
★ B&O Sound System by Bang & Olufsen (incl. 10 speakers and subwoofer)			•
<b>SYNC®</b>			
– Enhanced Voice Recognition Communications and Entertainment System			
– 911 Assist®		•	
– 4.2 LCD Center Stack screen			
– AppLink®			
– Smart-Charging USB port – one (1)			
<b>SYNC® 3</b>			
– Enhanced Voice Recognition Communications and Entertainment System			
– 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability			
– Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System			
– AppLink®			•
– 911 Assist®			
– Apple CarPlay™ and Android auto™			
– Smart-Charging USB Ports – two (2)			
<b>Note:</b> SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select smartphone platforms. Commands may vary by phone and AppLink® software.			
<b>Cupholders</b>			
Dual, instrument panel-mounted (4x4 req. ESOF on XL/XLT)	•	•	•
Integrated w/armrest on rear-seat			•(3)
<b>Door-Trim</b>			
Armrest, grab handle and reflector	•		
Soft armrest, grab handle, power window/lock switches and reflector; front map pockets on Regular Cab and SuperCab; front and rear map pockets on Crew Cab		•	•
<b>Floor Covering</b>			
Black vinyl	•		
Color-coordinated carpet and carpeted floor mats (includes rear mats on SuperCab & Crew Cab) (deleted when all-weather floor mats are ordered)		•	•
<b>Instrumentation Center</b>			
2.3" Productivity Screen display includes menus for Multi-function switch message center w/Ice Blue® Lighting (three (3) button message control on steering wheel)	•		
4.2 Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications five (5) button message control on steering wheel (included with the SYNC® and SYNC® Services; NA with the 6.8L (99Y))		•	
8.0" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications; five (5) button message control on steering wheel (included with the SYNC® and SYNC® Services)			•
Manual door-locks and windows	•		
Overhead Console – with dual storage bin and map lights	•	•	•
<b>Power Equipment</b>			
Accessory delay		•	•
Door-locks w/backlit switches		•	•
Windows w/backlit switches		•	•
<b>Powerpoint and 110V/400W Outlet</b>			
One (1) Powerpoint in front center under-seat storage		•	
Two (2) Powerpoints in instrumentation center	•	•	•
Two (2) Powerpoints in rear side of Flow-through Console			•
110V/400W Outlet dash mounted			•
110V/150W Outlet in rear side of Flow-through Console			•
110V/150W Inverter outlet in IP			•
<b>Rearview Mirror</b>			
11.5" day/night	•	•	•
Electrochromic self-dimming			•

<sup>1</sup> Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

★ = New for this model year  
• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

# STANDARD EQUIPMENT

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
<b>Seats (Front)</b>			
HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage	•		
Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage		•	
Leather seating surfaces, 40/Console/40			•
Manual lumbar support, driver's side	•	•	
Power driver & front-passenger seats 10-Way (six-way power-adjustable track, two-way power recline and two-way power lumbar)			•
Four-way adjustable driver/passenger headrests		•	•
<b>Seats (Rear) SuperCab</b>			
Vinyl, 60/40 fold-up bench seat	•		
Cloth, 60/40 fold-up bench seat		•	
Premium vinyl seating surfaces, 60/40 fold-up bench seat			•
<b>Seats (Rear) Crew Cab</b>			
60/40 bench w/flip-up/fold-down w/2 outboard head restraints and a center head restraint	•		
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat storage, two (2) outboard head restraints and a center head restraint.		•	
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat storage, two (2) outboard head restraints and a center head restraint. Dual integrated cupholders in armrest			•
Vinyl	•		
Cloth	•	•	
Leather			•
<b>Steering Wheel</b>			
Urethane – Black	•	•	
Leather-Wrapped – w/redundant audio and SYNC® controls (Lariat, color-coordinated)			•
Cruise Control (steering wheel-mounted)		•	•
Manual Tilt and Telescoping steering wheel/column	•	•	•
<b>Sun Visors</b>			
Color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror	•		
Color-coordinated Cloth, both driver and passenger w/covered mirrors		•	
Color-coordinated Cloth; both driver and passenger w/covered illuminated visor vanity mirror			•
<b>SAFETY/SECURITY</b>	<b>XL</b>	<b>XLT</b>	<b>LARIAT</b>
AdvanceTrac® with RSC® (Roll Stability Control™)	•	•	•
Advanced Security Pack (incl. Inclination / Intrusion Sensors)		•	•
AutoLamp (Auto On/Off Headlamps), Rainlamp Wiper Activated Headlamps	•	•	•
Autolock, Auto unlock		•	•
Remote Keyless Entry		•	•
SecuriLock® Passive Anti-Theft System (PATS)		•	•
Trailer Sway Control and Hill Start Assist	•	•	•
<b>Airbags</b>			
Driver & Passenger side	•	•	•
Passenger-side deactivation switch	•	•	•

# FUNCTIONAL EQUIPMENT

## AXLE AVAILABILITY

Series	Engine	Transmission	Non-Limited-Slip			Limited-Slip			Electronic-Locking	
			3.73	4.10	4.88	4.10	4.30	4.88	3.73	4.30
			X37	X41	X48	X4N	X4L	X8L	X3E	X4M
F-350 SRW	6.2L 2V Gas SOHC EFI NA V8	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	S	—	—	—	—	—	O	O
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	S	—	—	—	—	—	O	—
F-350 DRW	6.2L 2V Gas SOHC EFI NA V8	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	S	—	—	—	O	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	S	—	—	O	—	—	—	—
F-450	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	S	—	O	—	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	—	—	—	O <sup>1</sup>	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	—	—	—	S <sup>2</sup>	—	—	—
	6.8L 3V Gas SOHC EFI NA V10	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	—	S	—	—	O	—	—
F-550	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	S	—	O	—	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	—	—	—	—	O <sup>3</sup>	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	—	—	—	O <sup>4</sup>	—	—	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	—	—	—	S <sup>5</sup>	—	—	—
	6.8L 3V Gas SOHC EFI NA V10	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	—	—	S	—	—	O	—	—

			2019 ( F-350 / F-450 / F-550 ) Super Duty				
			"GAS" CHASSIS CABS				
			ALTERNATORS				
Series	Engine	Drive	Option Code	Description	XL	XLT	Lariat
F-350 SRW and F-350 DRW	6.2L Gas 2 Valve V8	4x2 and 4x4			67D( STD )	67D( STD )	67E(STD)
			(43C)	110V/400W Inverter	67E	67E	67E
F-450 and F-550	6.8L 3 Valve V10	4x2 and 4x4			STD	STD	N/A

(67D)(STD) "ExtraHeavy Duty" @ 200 AMPS  
(67E)(STD) "Extra/Extra Heavy Duty" @ 240 AMPS  
(STD) " Heavy Duty" for 6.8L @ 240 AMPS

			2019 ( F-350 / F-450 / F-550 ) Super Duty				
			"DIESEL" CHASSIS CAB		ALTERNATORS		
Series	Engine	Drive	Option Code	Description	XL	XLT	Lariat
F-350 SRW and F-350 DRW F-450 F-550	6.7L Diesel 4 Valve V8	4x2 and 4x4			67D( STD )	67D( STD )	67A( STD )
			(43C)	110V/400W Inverter	67A	67A	
			(473)	Snow Plow Pkg.	67A	67A	
			41A	Rapid Heat*	67B	67B	67B
				(67D)(STD) "Extra Heavy Duty" @220 AMPS			
				(67A)(STD) Dual Alts. @ 332 AMPS			
				(67B) Dual Alts. @ 377 AMPS			

<sup>1</sup> Requires Trailer Tow Package – High Capacity (535)<sup>2</sup> Standard when Extra Heavy Duty Front End Suspension (67P)<sup>3</sup> Requires Payload Upgrade Package (68M). Also available with Trailer Tow Package – High Capacity (535) when ordered with Payload Upgrade Package (68M)<sup>4</sup> Requires Trailer Tow Package – High Capacity (535) with Payload Downgrade Package (68D) or Trailer Tow Package – High Capacity (535) with Base Payload<sup>5</sup> Standard when Extra Heavy Duty Front End Suspension (67P) is ordered unless 4.88 LS is already selected



**FUNCTIONAL EQUIPMENT****WHEEL AVAILABILITY – SRW ONLY**

17" Argent Painted Steel  
w/painted hub  
cover/center ornament  
(Opt. on XL and XLT) –  
64A



18" Argent Painted Steel  
w/painted hub  
cover/center ornament  
(Std. on XL F-350 SRW)  
– 64F



18" Sparkle Silver  
Painted Cast Aluminum  
w/bright hub cover/center  
ornament  
(Std. on XLT F-350 SRW)  
– 648



18" Bright Machined Cast  
Aluminum w/Magnetic  
Painted Pockets and  
bright hub cover/center  
ornament  
(Std. on Lariat) – 64C

**WHEEL AVAILABILITY – DRW ONLY**

17" Argent Painted Steel  
(hub covers/center  
ornament not included)  
(Std. on XL and XLT F-  
350) – 64K



17" Forged Polished  
Aluminum w/bright hub  
cover/center ornament  
(Std. on Lariat F-350;  
Opt. on XL and XLT F-  
350) – 64J



19.5" Argent Painted  
Steel (hub cover/center  
ornament not included;  
Std. on XL and XLT F-  
450 and F-550) – 64Z



19.5" Forged Polished  
Aluminum w/bright hub  
cover/center ornament  
(Std. on Lariat F-450 and  
F-550; Opt. on XLT F-450  
and F-550) – 64D



17" or 19.5" Stainless  
Steel Wheel Covers  
(Front & Rear) (Opt. on  
XL and XLT) – 945



## OPTIONAL EQUIPMENT

		XL				XLT				LARIAT			
		F-350		F-450	F-550	F-350		F-450	F-550	F-350		F-450	F-550
		SRW	DRW			SRW	DRW			SRW	DRW		
		Order Code	630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A
BODYSTYLE & WHEELBASE													
Regular Cab 4X2 – Cab to Axle 60"	145"	F3E	F3G	F4G	F5G	F3E	F3G	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 84"	169"	—	F3G	F4G	F5G	—	F3G	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 108"	193"	—	—	F4G	F5G	—	—	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 120"	205"	—	—	F4G	F5G	—	—	F4G	F5G	—	—	—	—
Regular Cab 4X4 – Cab to Axle 60"	145"	F3F	F3H	F4H	F5H	F3F	F3H	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 84"	169"	—	F3H	F4H	F5H	—	F3H	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 108"	193"	—	—	F4H	F5H	—	—	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 120"	205"	—	—	F4H	F5H	—	—	F4H	F5H	—	—	—	—
SuperCab 4X2 – Cab to Axle 60"	168"	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G
SuperCab 4X2 – Cab to Axle 84"	192"	—	—	X4G	X5G	—	—	X4G	X5G	—	—	X4G	X5G
SuperCab 4X4 – Cab to Axle 60"	168"	X3F	X3H	X4H	X5H	X3F	X3H	X4H	X5H	X3F	X3H	X4H	X5H
SuperCab 4X4 – Cab to Axle 84"	192"	—	—	X4H	X5H	—	—	X4H	X5H	—	—	X4H	X5H
Crew Cab 4X2 – Cab to Axle 60"	179"	W3E	W3G	W4G	W5G	W3E	W3G	W4G	W5G	W3E	W3G	W4G	W5G
Crew Cab 4X2 – Cab to Axle 84"	203"	—	—	W4G	W5G	—	—	W4G	W5G	—	—	W4G	W5G
Crew Cab 4X4 – Cab to Axle 60"	179"	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H
Crew Cab 4X4 – Cab to Axle 84"	203"	—	—	W4H	W5H	—	—	W4H	W5H	—	—	W4H	W5H
ENGINE/TRANSMISSION													
6.2L 2 Valve Gas SOHC EFI NA V8 (Flex Fuel)/TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	996/44P	S	S	—	—	S	S	—	—	S	S	—	—
6.8L 3 Valve Gas SOHC EFI NA V10 / TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	99Y/44P	—	—	S	S	—	—	S	S	—	—	—	—
6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel B20 with manual push-button Engine-Exhaust Braking/TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	99T/44W	O	O	O	O	O	O	O	O	O	O	S	S
WHEELS													
4-Wheels (SRW); 6 Wheels (DRW). Spare Wheel included with Spare Tire.													
17" Argent Painted Steel Wheel w/Painted Hub Covers/Center Ornaments (req. Payload Downgrade Package (68D))	64A	O	—	—	—	O	—	—	—	—	—	—	—
17" Argent Painted Steel (Hub Covers/Center Ornaments not included)	64K	—	S	—	—	—	S	—	—	—	—	—	—
17" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4 aluminum outer and 2 steel inner)	64J	—	O	—	—	—	O	—	—	—	S	—	—
18" Argent Painted Steel w/Painted Hub Cover/Center Ornaments	64F	S	—	—	—	—	—	—	—	—	—	—	—
18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and Bright hub Covers/Center Ornaments	64C	—	—	—	—	—	—	—	—	S	—	—	—
18" Sparkle Silver Painted Cast Aluminum w/Bright Hub Covers/Center Ornaments	648	—	—	—	—	S	—	—	—	—	—	—	—
19.5" Argent Painted Steel	64Z	—	—	S	S	—	—	S	S	—	—	—	—
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments	64D	—	—	—	—	—	—	O	O	—	—	S	S
TIRES													
4 Tires (SRW); 6 Tires (DRW)													
Spare Tire required in Rhode Island, optional in all other states. Spare is same as road tire unless otherwise noted.													
LT245/75Rx17E BSW A/S PLU	TD8	O	S	—	—	O	S	—	—	—	S	—	—
LT245/75Rx17E BSW A/T	TBM	O	O	—	—	O	O	—	—	—	O	—	—
LT245/75Rx17E OWL A/T (DRW inner rear and optional spare are LT245/75Rx17E BSW A/T)	TBL	—	—	—	—	—	O	—	—	—	O	—	—
LT265/70Rx17E OWL A/T	TCD	O	—	—	—	O	—	—	—	—	—	—	—
LT275/65Rx18E BSW A/S	TCH	S	—	—	—	S	—	—	—	S	—	—	—
LT275/70Rx18E BSW A/T Plus, 4X4	TDX	O	—	—	—	O	—	—	—	O	—	—	—
LT275/70Rx18E OWL A/T, 4X4 (optional spare is LT275/70Rx18E BSW A/T)	TDU	—	—	—	—	O	—	—	—	O	—	—	—
225/70Rx19.5G BSW A/P (Optional spare is 225/70Rx19.5G BSW A/P)	TGJ	—	—	S	S	—	—	S	S	—	—	S	S
225/70Rx19.5G BSW Traction (includes 4 traction tires on the rear and 2 A/P tires on the front. Optional. spare is 225/70Rx19.5G BSW A/P)	TGM	—	—	O	O	—	—	O	O	—	—	O	O

## OPTIONAL EQUIPMENT

	Order Code	XL				XLT				LARIAT			
		F-350		F-450	F-550	F-350		F-450	F-550	F-350		F-450	F-550
		SRW	DRW			SRW	DRW			SRW	DRW		
		630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A
<b>TIRES</b>													
<b>4 Tires (SRW); 6 Tires (DRW)</b>													
<b>Spare Tire required in Rhode Island, optional in all other states. Spare is same as road tire unless otherwise noted. (continued)</b>													
225/70R19.5G BSW Traction, 4X4 (includes 4 traction tires on the rear and 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH. Optional spare is 225/70R19.5G BSW Traction.)	TGK	—	—	O	O	—	—	O	O	—	—	O	O
Spare Tire, Wheel and Jack (Excludes carrier; includes Hydraulic Jack (61J); required in RI)	512	O	O	O	O	O	O	O	O	O	O	O	O
Spare Tire and Wheel Delete (only available to Pool Accounts for sales to RI)	51D	O	O	O	O	O	O	O	O	O	O	O	O
<b>GROUPS/PACKAGES (see Packaged Options/Emissions pages for complete content and restrictions)</b>													
Trailer Tow Package	531		O					—				—	
XL Value Package	96V		O					—				—	
Power Equipment Group	90L		O					S				S	
XLT Value Package	17V		—					O				—	
Lariat Value Package	96L		—					—				O	
Heavy-Service Front Suspension Package	67H		O					O				O	
Extra Heavy-Service Suspension Package	67X		O					O				O	
Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only (requires 4.30 or 4.88 axle)	67P		O					O				O	
Payload Downgrade Package (avail. on F-350 SRW and req. 59H Center High-Mounted Stop Lamp (CHMSL) and 65M 26.5 mid ship fuel tank; avail. on F-450 & F-550)	68D		O					O				O	
16,000 GVWR Package (avail. on F-450 only)	68L		O					O				O	
Payload Upgrade Package (F-550 only w/145" WB & 6.8L engine)	68U		O					O				—	
Payload Plus Upgrade Package (avail. on F-550 only)	68M		O					O				O	
Snow Plow Prep Package	473		O					O				O	
Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only; reqs. 6.7L Engine (99T))	535		O					O				O	
Low Deflection Package (avail. on F-450 & F-550 only (NA w/4x4 w/145"WB))	86S		O					O				O	
CNG/Propane Gaseous Engine Prep Package (avail. On F-450 & F-550 w/6.8L engine only)	98G		O					O				O	
CNG/Propane Gaseous Engine Prep Package (avail. on F-350 w/6.2L engine only)	98F		O					O				O	
Wrecker Package (avail. on F-450 only)	474		O-1					O-1				—	
<b>FUNCTIONAL</b>													
Aft-Axle Frame Extension (req. 145" or 169" wheelbase) – F-450/F-550 only (145" Wheelbase/60" CA – 42.4" aft-of-axle frame extension increases AF dimension to 89.4") (169" Wheelbase/84" CA – 32.4" aft-of-axle frame extension increases AF dimension to 79.6")	63C		O					O				—	
Electronic-Shift-On-the-Fly (ESOF) – 4X4 (manual-locking hubs & auto rotary control on I/P; required w/Flow-through Console; NA w/6.8L engine)	213		O					O				S	
Engine Block Heater	41H		O					O				O	
Skid Plates – Transfer Case (4X4 only)	41P		O-2,3					O-2,3				O	
Jack (Two-ton Mechanical – F-350 SRW / Four-ton Hydraulic – F-350 DRW / Six-ton Hydraulic – F-450 & F-550) (required in RI)	61J		O					O				O	
Transmission Power Take-Off Provision (Avail. w/6.2L, 6.8L engine or 6.7L Power Stroke® Diesel engine; all engines include Mobile and Stationary PTO modes; 6.2L req. 4.30 final drive ratio)	62R		O					O				O	

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only  
★ = New for this model year

S = Standard, O = Optional, P = Packaged Option  
F = Fleet Only Option

## OPTIONAL EQUIPMENT

	Order Code	XL				XLT				LARIAT			
		F-350		F-450	F-550	F-350		F-450	F-550	F-350		F-450	F-550
		SRW	DRW			SRW	DRW			SRW	DRW		
		630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A
<b>FUNCTIONAL (continued)</b>													
Programmable Engine Idle Shutdown – 5 minute	86A		O				O				—		
Programmable Engine Idle Shutdown – 10 minute	86B		O				O				—		
Programmable Engine Idle Shutdown – 15 minute	86C		O				O				—		
Programmable Engine Idle Shutdown – 20 minute	86D		O				O				—		
Operator Commanded Regeneration (req. 6.7L Power Stroke® Diesel engine)	98R		O				O				—		
Medium Duty Battery (Dual 78 AH; req. 6.2L Gas engine; available on F-350 only)	86M		O				O				O		
Upfitter Interface Module	18A		O				O				O		
<b>Alternators (*Refer to alternator charts on pg. 7 for further details)</b>													
Dual Alternators (req. 6.7L Power Stroke® Diesel engine; total of 332 Amp; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.7L is ordered; NA 6.2L or 6.8L)	67A		S				S				S		
Dual Extra Heavy-Duty Alternators (req. 6.7L Power Stroke® Diesel engine; total of 377 Amp; required with Rapid-Heat Supplemental Cab Heater (41A); NA 6.2L or 6.8L)	67B		S/O				S/O				S/O		
Extra Extra Heavy-Duty Alternator (240 Amp; Opt. XL/XLT w/6.2L engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.2L is ordered; NA w/67A, 6.7L or 6.8L)	67E		S/O				S/O				S		
<b>Fuel Tanks</b>													
26.5 Gallon Mid Ship (NA w/193" WB Regular Cabs & 203.4" WB Crew Cabs equipped w/gas engines; included with F-350 SRW w/68D Payload Downgrade Pkg.)	65M		O				O				O		
Dual Diesel – combines 40 gallon aft-of-axle & 26.5 gallon mid ship tank (req. DRW; XL req. 96V XL Value Pkg. or 585 Radio on XL Fleet units)	65C		O				O				—		
<b>Trailer Towing Equipment</b>													
Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals (included w/90L Power Equipment Group on XL)	54K		P-90L				S				—		
Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)	54F		—				O				S		
Utility Lighting System (LED Side-mirror Spotlights) (req. Manual Telescoping (54K); std on XLT when ordering 54F)	63A		O				O/S				S		
Trailer Brake Controller (TBC) (Verified to be compatible with electronic actuated drum brakes only. NA w/531 Trailer Tow Pkg.; includes Smart Trailer Tow Connector)	52B		O				S				S		
<b>Steps</b>													
Platform Running Boards	18B		O				O				O		
<b>KEY EXTERIOR OPTIONS</b>													
Center High-Mounted Stop Lamp (CHMSL) (opt. for vehicles with GVWR over 10,000 lbs.; required with 68D Payload Downgrade Package for vehicles with GVWR 10,000 lbs. or less)	59H		O				O				O		
Rear View Camera and Prep Kit (includes loose camera, wiring bundle, electrochromic mirror w/video display (electrochromic mirror is only available with XL base radio (585)))	872		O				O				O		

12/20/18

**2019 SUPER DUTY® CHASSIS CAB**  
**(F-350CC / F-450CC / F-550)**

PROPRIETARY

**OPTIONAL EQUIPMENT**

	Order Code	XL				XLT				LARIAT			
		F-350		F-450	F-550	F-350		F-450	F-550	F-350		F-450	F-550
		SRW	DRW			SRW	DRW			SRW	DRW		
		630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A
<b>KEY EXTERIOR OPTIONS (continued)</b>													
<b>Rear-windows</b>													
Defrost with Fixed and Privacy Glass (Privacy Glass is standard on XLT; XL req. Privacy Glass (924) and XL Power Equipment Group (90L))	43B		O				O				—		
Power-Sliding w/Defrost and Privacy Glass (XL req. 90L Power Equipment Group; 924 Privacy Glass is standard on XLT; includes Driver/Passenger sun visors w/illuminated vanity covered mirrors)	435/924		O-2,3				O-2,3				S		
<b>KEY INTERIOR OPTIONS</b>													
Floor Mats, All-Weather (req. SuperCab or Crew Cab; 4x2 or 4x4 w/ESOF when Carpet Delete (166) is ordered)	16S		—				O				O		
Carpet Delete (XLT & Lariat replaced w/black flooring)	166		S				O				O		
Rapid-Heat Supplemental Cab Heater (Optional in all states with 6.7L Power Stroke® Diesel engine)	41A		O				O				O		
Rear Inflatable Seat Belts (NA w/557 Airbag Delete or 556 Driver/Passenger Side Airbags/Curtains Delete)	555		O-3				O-3				O-3		
110V/400W Outlet (with 40/20/40 seats, there is one in-dash mounted outlet; 2 <sup>nd</sup> outlet in the console req. 40/Console/40 seats; req. Dual Alternator (67A) when 6.7L Power Stroke® Diesel engine is ordered and the Extra Extra Heavy-Duty Alternator (67E) when the 6.2L 2 Valve Gas Engine is ordered)	43C		O				O				S		
Remote Start System (req. 90L Power Equipment Group)	76S		O				O				O P-96L		
<b>Audio</b>													
AM/FM Stereo MP3 Player (speakers; four (4) with Regular Cab six (6) with SuperCab and Crew Cab on XL; five (5) with Regular Cab seven (7) with SuperCab and Crew Cab on XLT)	585	F P-96V				S				—			
SYNC® — Enhanced Voice Recognition Communication and Entertainment System — 911 Assist® — 4.2" LCD Center Stack screen — AppLink® — Smart-Charging USB port – one (1) NA w/557 Airbag Delete													
SYNC® 3 — Enhanced Voice Recognition Communication and Entertainment System — 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability — Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation System — AppLink® — 911 Assist® — Apple CarPlay™ and Android Auto™ — Smart-Charging USB Ports – two (2) <b>Note:</b> SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select smartphone platforms. Commands may vary by phone and AppLink® software. (NA w/6.8L Engine (99Y))	913		—				O				S		

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only  
 ★ = New for this model year

S = Standard, O = Optional, P = Packaged Option  
 F = Fleet Only Option

## OPTIONAL EQUIPMENT

	Order Code	XL				XLT				LARIAT			
		F-350		F-450	F-550	F-350		F-450	F-550	F-350		F-450	F-550
		SRW	DRW			SRW	DRW			SRW	DRW		
		630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A
<b>KEY INTERIOR OPTIONS (continued)</b>													
★FordPass™ Connect 4G Wi-Fi Modem – 4G LTE Wi-Fi hotspot connects up to 10 devices <sup>1</sup> – Remotely start, lock and unlock vehicle <sup>2</sup> – Schedule specific times to remotely start vehicle <sup>2</sup> – Locate parked vehicle <sup>2</sup> – Check vehicle status <sup>2</sup> reqs. SYNC® 3 (913) <b>Note:</b> Ford Telematics™ Prep included for Fleet ONLY: FordPass™ Connect 4G Wi-Fi Modem enables telematics services through authorized partners. Activate at <a href="http://www.fleet.ford.com">www.fleet.ford.com</a> or call 833-FCS-FORD or 833-327-3673. – NA w/Fleet Telematics Modem (87T)	87S			—				O				O	
SiriusXM® Radio <sup>3</sup> (Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii.); Req. 91M SYNC® or 913 SYNC® 3; adds one (1) I/P mounted center speaker on XLT only	39S			O				S				S	
Voice-activated Navigation with HD and SiriusXM Radio <sup>3</sup> Traffic and Travel Link® (SiriusXM Traffic and Travel Link® includes a 5-year prepaid subscription. Services are not available in Alaska and Hawaii) – XLT reqs. SYNC® 3 (913)	21N			—				O				O	
<b>Front-Seats (See Color &amp; Trim Availability page for additional information)</b>													
Cloth, 40/20/40 Split Bench	1			O				—				—	
Vinyl, 40/Mini Console/40	L			O				—				—	
Cloth, 40/Mini Console/40	4			O				—				—	
Cloth, 40/Console/40	2			—				O-2,3				—	
Leather, 40/20/40 Split Bench	6			—				—				O	
<b>Rear-Seats</b>													
Heated Seats (req. 40/Console/40 front-seat; req. 96L Lariat Value Pkg.)	90R			—				—				O-3	
<b>LPO/FLEET OPTIONS (Requires Valid FIN Code) (see Packaged Options/Emissions pages for complete content and restrictions on packages)</b>													
Ambulance Prep Package – req. 6.7 Power Stroke® Diesel Engine (99T) or 6.8L Gas Engine (99Y) w/Regular Cab	47A			F				F				—	
Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions – req. 6.7 Power Stroke® Diesel Engine (99T)	47L			F				F				—	
Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine – req. 6.7 Power Stroke® Diesel Engine (99T)	47J			F				F				—	
Adjustable Pedals	62M			—				F				—	
Cruise Control (steering wheel-mounted)	525			F				—				—	
Daytime Running Lamps (DRL) (the non-controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL) (On/Off Cluster Controllable)	942			F				F				—	
Driver/Passenger Side Airbags/Curtains Delete (NA 10,000 lbs. or less GVWR)	556			F				—				—	
Frontal Passenger and Side Airbags/Curtains Delete (NA w/91M SYNC®, 10,000 lbs. or less GVWR, 585 AM/FM Stereo, Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J))	557			F				—				—	

<sup>1</sup> Includes a complimentary trial subscription of 3 months or 3 gigabytes – whichever comes first. Wireless Service Plan required after trial subscription ends. Visit [att.com/ford](http://att.com/ford) to start complimentary trial and sign up for a Wireless Service Plan.

<sup>2</sup> Includes service for one year from the vehicle sale date as recorded by the dealer.

<sup>3</sup> Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

## OPTIONAL EQUIPMENT

	Order Code	XL				XLT				LARIAT			
		F-350		F-450	F-550	F-350		F-450	F-550	F-350		F-450	F-550
		SRW	DRW			SRW	DRW			SRW	DRW		
		630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A
<b>LPO/FLEET OPTIONS (Requires Valid FIN Code) (see Packaged Options/Emissions pages for complete content and restrictions on packages) (continued)</b>													
Speed Limitation – 65-mph governed top speed	926			F				F				—	
Speed Limitation – 75-mph governed top speed	927			F				F				—	
TPMS Delete (optional on F-350 SRW over 10,000 lbs. GVWR)	18L			F				F				F	
AM/FM Stereo MP3 Player (speakers; four (4) with Regular Cab six (6) with SuperCab and Crew Cab) SYNC® – Enhanced Voice Recognition Communication and Entertainment System – 911 Assist® – 4.2" LCD Center Stack screen – AppLink® – Smart-Charging USB port – one (1) NA w/557 Airbag Delete	585			F				—				—	
Fleet Telematics Modem – Onboard modem device provides access to data to support telematics services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through authorized partners. Activate at <a href="http://www.fleet.ford.com">www.fleet.ford.com</a> or call 833-FCS-FORD or 833-327-3673. – Reqs. AM/FM Stereo w/SYNC® (585); NA with FordPass™ Connect 4G Wi-Fi Modem (87S)	87T			F				F				—	
XL Décor Group	17F			F				—				—	
<b>FORD ACCESSORIES, PRE-INSTALLED</b>													
Hood Deflector – Black Molded	87H			O				O				O	
Vehicle Safe by Console Vault (reqs. Seat-Bucket 40/console/40)	21X			—				O				O	
Exterior Backup Alarm	76C			O				O				O	
LED Warning Strobes – Amber (req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights)	91S			O				O				O	
LED Warning Strobes – Amber-White (req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights)	91G			O				O				O	
Splash Guards/Mud Flaps – Front only (optional on F-350 only)	61S			O				O				O	
Stainless Steel Wheel Covers – Front & Rear (NA F-350 SRW; req. 64K 17" Argent Painted Steel Wheel or 64Z 19.5" Argent Painted Steel Wheel)	945			O				O				—	
Wheel Well, Front	61L			O				O				O	

# COLOR & TRIM AVAILABILITY

		INTERIOR AND SEAT COLOR		
INTERIOR COLOR		Medium Earth Gray	Camel	Black
XL	• HD Vinyl, 40/20/40 Split Bench w/center armrest, cupholder and storage manual lumbar (driver's side only) • Cloth, 40/20/40 Split Bench w/center armrest, cupholder and storage manual lumbar (driver's side only) • Vinyl, 40/Mini Console/40 manual lumbar (driver's side only) • Cloth, 40/Mini Console/40 manual lumbar (driver's side only)	AS		
		1S		
		LS		
		4S		
XLT	• Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage, four-way adjustable driver/passenger headrests, manual lumbar (driver's side only) • Cloth, 40/Console/40; four-way adjustable driver/passenger headrests manual lumbar (driver's side only); Flow-through Console with 110V/400W outlet in rear (SuperCab & Crew Cab Only; 4x4 req. ESOF – 213; NA w/6.8L engine on 4x4).	3S	3A	
		2S	2A	
Lariat	• Front, leather seating surfaces, 40/Console/40; 10-way power driver and passenger seating, four-way adjustable driver/passenger headrests, matching 60/40 Rear Bench w/partitioned locking under-seat storage and 12V Powerpoint, Flow-through Console with 110v/150w Inverter outlet in rear (4x4 req. ESOF – 213; NA w/6.8L engine on 4x4). • Front, leather seating surfaces, 40/20/40 Split Bench; 10-way power driver and passenger seating, four-way adjustable driver/passenger headrests, matching 60/40 Rear Bench w/partitioned locking under-seat storage and 12V Powerpoint		5A	5B
			6A	6B
EXTERIOR COLOR		MONOTONE	Availability	
XL				
★Agate Black <sup>1</sup>		UM	•	
Stone Gray <sup>1</sup>		D1	•	
Magnetic <sup>1</sup>		J7	•	
Blue Jeans <sup>1</sup>		N1	•	
Race Red		PQ	•	
Ingot Silver <sup>1</sup>		UX	•	
Oxford White		Z1	•	
XLT				
★Agate Black <sup>1</sup>		UM	•	•
★Silver Spruce		BN	—	•
Stone Gray <sup>1</sup>		D1	•	•
Magnetic <sup>1</sup>		J7	•	—
Blue Jeans <sup>1</sup>		N1	•	•
Race Red		PQ	•	•
Ruby Red Metallic Tinted Clearcoat <sup>2</sup>		RR	•	•
Ingot Silver <sup>1</sup>		UX	•	•
Oxford White		Z1	•	•
LARIAT				
★Agate Black <sup>1</sup>		UM		•
★Silver Spruce		BN		•
Stone Gray <sup>1</sup>		D1		•
Magnetic <sup>1</sup>		J7		•
Blue Jeans <sup>1</sup>		N1		•
Race Red		PQ		•
Ruby Red Metallic Tinted Clearcoat <sup>2</sup>		RR		•
White Platinum Metallic Tri-Coat <sup>2</sup>		UG		•
Ingot Silver <sup>1</sup>		UX		•
Oxford White		Z1		•

<sup>1</sup> Metallic<sup>2</sup> Extra Charge Paint

★ = New for this model year

• = Available



12/20/18

**2019 SUPER DUTY® CHASSIS CAB**  
**(F-350CC / F-450CC / F-550)**

PROPRIETARY

## COLOR & TRIM AVAILABILITY

FLEET ONLY EXTERIOR COLORS – (REQUIRES VALID FIN CODE) <sup>3</sup>	MONOTONE	Availability		
XL				
★ Green	GR	•		
★ Green Gem	W6	•		
★ Orange	MB	•		
★ School Bus Yellow	BY	•		
★ Vermillion Red	E4	•		
★ Yellow	AT	•		
XLT				
★ Green	GR	•	•	
★ Green Gem	W6	•	•	
★ Orange	MB	•	•	
★ School Bus Yellow	BY	•	•	
★ Vermillion Red	E4	•	•	
★ Yellow	AT	•	•	

<sup>3</sup> Fleet only exterior colors will be priced as VSO colors.

★ = New for this model year

• = Available

# PACKAGED OPTIONS/EMISSIONS

## XL VALUE PACKAGE (96V)

### Availability:

- Optional on XL

### Includes:

- 4.2" Center-stack-screen
- AM/FM Stereo MP3 Player (speakers; four (4) with Regular Cab, six (6) with SuperCab and Crew Cab)
- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper
- Cruise Control (steering wheel-mounted)
- SYNC®

## XL DÉCOR GROUP (17F)

### Availability:

- Optional on XL (Fleet Only)

### Includes:

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper

## POWER EQUIPMENT GROUP (90L)

### Availability:

- Optional on XL
- Standard on XLT and Lariat

### Includes:

- Accessory Delay
- Advanced Security Pack (Incl. SecuriLock® Passive Anti-Theft System (PATS) and Inclination / Intrusion Sensors)
- Manual-folding, manually-telescoping; power glass trailer tow mirrors with heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals (XL & XLT only)
- MyKey® owner controls feature
- Power 1<sup>st</sup> row (front-seat) windows w/one-touch up/down
- Power 2<sup>nd</sup> row (rear-seat) windows (Super/Crew Cab)
- Power locks
- Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) (54F) (Lariat only)
- Remote keyless entry
- SecuriLock® Passive Anti-Theft System (PATS) (XLT and Lariat Only)
- Upgraded door-trim panel XL

### Deletes:

- Passenger side lock cylinder

### Options Available:

- Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) (54F) (XLT only)

## XLT VALUE PACKAGE (17V)

### Availability:

- Optional on XLT

### Includes:

- Autolock/Auto unlock
- Power-Adjustable Pedals – not available on regular cab
- Power Driver's Seat (eight-way)
- SecuriCode™ keyless entry keypad (driver's side)

## LARIAT VALUE PACKAGE (96L)

### Availability:

- Optional on Lariat

### Includes:

- Easy Entry/Exit Memory Driver's Seat Feature
- Power-Adjustable Pedals with Memory
- Power Heated/Cooled Driver/Passenger Seat with Driver Side Memory
- PowerScope® Trailer Tow Mirrors with Memory
- Remote Start System

## WRECKER PACKAGE (474)

### Availability:

- Optional on XL and XLT F-450

### Not available with:

- Heavy-Service Front Suspension Package (67H)
- Snow Plow Prep Package (473)
- Extra Heavy-Service Suspension Package (67X)
- Extra Heavy-Duty Front End Suspension – 7,500 FGAWR (67P)

### Requires:

- Regular Cab
- 145" WB

### Includes:

- 7K Front Springs
- 19.5K Rear Springs
- 2" Rear Spacer Block (4x2 only)

**Note 1:** *May result in a deterioration of ride quality*

**Note 2:** *Vehicle ride height will increase w/the addition of this package*

## TRAILER TOW PACKAGE (531)

### Availability:

- Optional on XL

### Not available with:

- Ambulance Prep Packages (47A/47L) or Trailer Brake Controller (52B)

### Includes:

- Aftermarket trailer brake wiring kit
- Trailer Brake Controller not included

**NOTE:** *Salespersons Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability.*

## TRAILER TOW PACKAGE – HIGH CAPACITY (535)

### Availability:

- Optional on all F-450 and F-550

### Not available with:

- Ambulance Prep Packages (47A/47L)

### Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 4.30 Limited-slip rear-axle (X4L) available on F-450 (or F-550 w/Base Payload or Payload Downgrade Package (68D))
- 4.88 Limited-slip rear-axle (X8L) available on F-550 w/Payload Plus Upgrade Package (68M)

### Includes:

- Trailer brake wiring kit (not included if 52B Trailer Brake Controller is ordered)
- Increase GCW on diesel engine from 31,000 lbs. to 35,000 lbs. (F-450)
- Increase GCW on diesel engine from 31,000 lbs. to 40,000 lbs. (F-550)
- Upgraded rear-axle
- Trailer brake controller not included

**NOTE:** *Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.*

## PACKAGED OPTIONS/EMISSIONS

**SNOW PLOW PREP PACKAGE (473)****Availability:**

- Optional on all Chassis Cabs

**Not available with:**

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

**Requires:**

- 4x4 (F-350 only)

**Includes:**

- Alternator: 6.7L – Dual Heavy-Duty Alternators (67A)
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)

**Options Available:**

- Dual Extra Heavy-Duty Alternators (67B) (diesel only)
- Extra Extra Heavy-Duty Alternators (67E) 6.2L Gas Engine

**NOTE 1:** *Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.*

**NOTE 2:** *Also allows for the attachment of a winch*

**HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H)****Availability:**

- Optional on all Chassis Cabs

**Usage:**

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

**Not available with:**

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)

**Includes:**

- Heavy-service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

**NOTE 1:** *May result in a deterioration of ride quality.*

**NOTE 2:** *Vehicle ride height will increase w/the addition of this package*

**EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X)****Availability:**

- Optional on all Chassis Cabs

**Usage:**

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

**Not available with:**

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)

**Includes:**

- Extra heavy-service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

**NOTE 1:** *May result in a deterioration of ride quality.*

**NOTE 2:** *Vehicle ride height will increase w/the addition of this package*

**EXTRA HEAVY DUTY FRONT END SUSPENSION – 7500 GAWR (67P)****Availability:**

- Optional on F450 or F550

**Usage:**

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer

**Not available with:**

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X)

**Includes:**

- (3) Unique Front Axle
  - 7500 LB GAWR for 4x2 Chassis
  - 7500 LB GAWR for 4x4 Chassis @ 4.30 Ratio
  - 7500 LB GAWR for 4x4 Chassis @ 4.88 Ratio
- Max 7500 lbs. Front Springs/GAWR rating for configuration selected

**AMBULANCE PREP PACKAGE (47A)****Availability:**

- Optional on XL and XLT (Fleet Only)

**Usage:**

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package to produce an ambulance voids the Ford warranty

**Not available with:**

- Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Passenger Airbag Delete (557), Ambulance Prep Package w/Special Emissions (47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

**Requires:**

- 6.7L Power Stroke® Diesel engine (99T)
- 6.8L Gas engine (99Y) Regular Cab only

**Includes:**

- Dual Extra Heavy-Duty Alternator (67B) – 6.7L Power Stroke® Diesel engine (99T) only
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR) – 6.7L Power Stroke® Diesel engine (99T) only
- "Wide track" axle included w/F-350 DRW (X4W)

**Options Available:**

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

**NOTE:** *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

# PACKAGED OPTIONS/EMISSIONS

## AMBULANCE PREP PACKAGE W/EPA SPECIAL EMERGENCY VEHICLE EMISSIONS (47L)

### Availability:

- Optional on XL and XLT (Fleet Only)

### Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances with special emissions only if equipped w/the Ford Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package w/EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty

### Not available with:

- Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Passenger Airbag Delete (557), Ambulance Prep Package (47A) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

### Requires:

- 6.7L Power Stroke® Diesel engine (99T)

### Includes:

- Dual Extra Heavy-Duty Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR)
- "Wide track" axle included w/F-350 DRW (X4W)

### Options Available:

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

**NOTE 1:** *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

**NOTE 2:** *Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation*

**NOTE 3:** *Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%*

**NOTE 4:** *Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.*

**NOTE 5:** *California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.*

## FIRE/RESCUE PREP PACKAGE W/EPA SPECIAL EMISSIONS – FOR DIESEL ENGINE (47J)

### Availability:

- Optional on XL and XLT (Fleet Only)

### Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford urges fire/rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).

### Not available with:

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Passenger Airbag Delete (557) or Ambulance Prep Packages (47A/47L)

### Requires:

- 6.7L Power Stroke® Diesel engine (99T)

### Includes:

- Dual Extra Heavy-Duty Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR)

**NOTE 1:** *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

**NOTE 2:** *Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation*

**NOTE 3:** *Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%*

**NOTE 4:** *Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.*

**NOTE 5:** *California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.*

## PAYLOAD DOWNGRADE PACKAGE (68D)

### Availability:

- Required on F-350 SRW w/17" wheels/tires
- Optional on F-350 SRW w/18" wheels/tires, F-450 and F-550

### Not available with:

- Frontal Passenger and Side Airbags/Curtains Delete (557) or Side Airbags/Curtains Delete (556) with 10,000 lbs. or less GVWR

### Requires:

- 26.5 mid ship fuel tank (65M) on F-350 SRW
- Center High-Mounted Stop Lamp (CHMSL) (59H) for vehicles with 10,000 lbs. or less Gross Vehicle Weight Rating

### Includes:

- 9,800 lbs. Gross Vehicle Weight Rating (F-350 SRW 17" Only)
- 10,000 lbs. Gross Vehicle Weight Rating (F-350 SRW 18" Only)
- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

## PAYLOAD UPGRADE PACKAGE (68U)

### Availability:

- Optional on XL and XLT F-550 Chassis Cabs 145" wheelbase with 6.8L engine

### Requires:

- 4.88 Limited-slip rear-axle (X8L)

### Includes:

- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle

**NOTE:** *See Order Guide Supplemental Reference for further details on GVWR and payload ranges*

## PACKAGED OPTIONS/EMISSIONS

### PAYLOAD PLUS UPGRADE PACKAGE (68M)

**Availability:**

- Optional on F-550

**Not available with:**

- 4.30 Limited-slip rear-axle
- 145" wheelbase on gas engine

**Requires:**

- 4.88 Limited-slip rear-axle (X8L)

**Includes:**

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Increases max RGAWR to 14,706
- Low Deflection/High Capacity Rear Springs
- Upgraded frame
- Upgraded rear-axle

**Options Available:**

- Low Deflection Spacer (86S)

**NOTE:** See Order Guide Supplemental Reference for further details on GVWR.

### 16,000 GVWR PACKAGE (68L)

**Availability:**

- Optional on all F-450 Chassis Cabs

**Includes:**

- 16,000 lbs. Gross Vehicle Weight Rating

### LOW DEFLECTION SPACER (86S)

**Availability:**

- Optional on F-450 and F-550 Chassis Cabs

**Not available with:**

- 4x4 w/145" WB

**Usage:**

- Recommended for rear-biased loading, such as wrecker/retriever applications

**Includes:**

- 2" spacer blocks

### CNG/Propane GASEOUS ENGINE PREP PACKAGE (98F)

**Availability:**

- Optional on all F-350

**Requires:**

- 6.2L Gas Engine (996)

**Includes:**

- Hardened Engine Intake Valves and Valve Seats
- Bi-Fuel intake manifold

**NOTE:** This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:

[www.ford.com/altfuelbuyersguide](http://www.ford.com/altfuelbuyersguide)

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

### CNG/Propane GASEOUS ENGINE PREP PACKAGE (98G)

**Availability:**

- Optional on all XL and XLT F-450 and F-550

**Requires:**

- 6.8L Gas Engine (99Y)

**Includes:**

- Hardened Engine Intake Valves and Valve Seats

**NOTE:** This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:

[www.ford.com/altfuelbuyersguide](http://www.ford.com/altfuelbuyersguide)

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

**PACKAGED OPTIONS/EMISSIONS****REAR VIEW CAMERA AND PREP KIT (872)****Availability:**

- Optional on all Chassis Cabs

**Pre-installed Content Includes:**

- Cab Wiring
- Frame Wiring to the rear most cross member
- Video Display
  - Electrochromic mirror when ordered with XL base radio (585)
  - 4" display when ordered
  - 8" display when ordered with SYNC@3

**Upfitters kit Includes:**

- Camera with mounting bracket
- 14' jumper wire
- Camera mounting and aiming instructions

**FLEET TELEMATICS MODEM (87T)****Availability:**

- Optional on XL and XLT Fleet Only

**Requires:**

- AM/FM Stereo w/SYNC® (585)

**Not Available with:**

- FordPass™ Connect 4G Wi-Fi Modem (87S)

**Includes:**

- Onboard Modem device provides access to data to support telematics services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through authorized partners. Activate at [www.fleet.ford.com](http://www.fleet.ford.com) or call 833-FCS-FORD or 833-327-3673.

**Vehicle Special Order (VSO)**

FLEET ONLY. See [www.fmcdealer.com](http://www.fmcdealer.com) for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email [ysomail@ford.com](mailto:ysomail@ford.com) or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

**High Sulfur Diesel Fuel Usage**

Vehicles for intended usage with diesel fuel sulfur content greater than 15ppm require Euro II (>500ppm sulfur) or Euro III (<500ppm sulfur) packages to avoid engine functionality issues.

Packages are available through Export Order Guide with the appropriate US EPA exemption or verifiable export usage.

**NOTE:** JP8 fuel is supported and compatible with these packages

**Leaded Fuel Capable**

**NOTE:** Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

**European Certified Headlamps**

European certified headlamp package is available for export usage through Export Order Guide.

**NOTE:** Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

**MISCELLANEOUS OPTIONS**

COV required .....	<b>79V</b>
Priced DORA .....	<b>C09</b>

**PAYLOAD PACKAGE SELECTOR CHART – Refer to Supplemental Reference Section for Payload Information.**

**EMISSIONS STANDARD/OPTIONAL EQUIPMENT**

<b>50-STATE EMISSIONS SYSTEM .....</b>	<b>425</b>
Standard on all Vehicles	

**POWERTRAIN****ENGINE HORSEPOWER AND TORQUE RATINGS\***

ENGINE	TRANSMISSION	NOMINAL COMPRESSION RATIO	50-STATE	
			HORSEPOWER	TORQUE
			H.P. @ RPM	FT. LBS. @ RPM
<b>ALL</b>				
6.2L 2V Gas SOHC EFI NA V8 (Flex- Fuel)	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	TBD	TBD @ TBD	TBD @ TBD
6.8L 3V Gas SOHC EFI NA V10	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	TBD	TBD @ TBD	TBD @ TBD
6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Six-Speed Automatic w/SelectShift® Automatic (6R140)	TBD	TBD @ TBD	TBD @ TBD

(1) 10,000 lbs. GVWR and Under

(2) 10,001 lbs. GVWR and above

**FUEL ECONOMY**

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.